

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office MAR 21 2000

Returned to applicant for correction _____

Corrected application filed _____

Map filed DEC 11 1961 under 20195

The applicant **Kingsbury General Improvement District**, hereby makes application for permission to change the **Point of Diversion & Place of Use** of water heretofore appropriated under **Permit 41532**

1. The source of water is **underground**
2. The amount of water to be changed **0.5 cfs**
3. The water to be used for **quasi-municipal**
4. The water heretofore permitted for **quasi-municipal**
5. The water is to be diverted at the following point **the SE $\frac{1}{4}$ SW $\frac{1}{4}$ pf Section 18, T. 13 N., R. 19 E., M.D.B. & M., or at a point from which the W $\frac{1}{4}$ corner of said Section 18 bears N. 50° 24' 59" W., a distance of 2,407.00 feet.**
6. The existing permitted point of diversion is located within **the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 23, T. 13 N., R. 18 E., M.D.B. & M., or at a point which bears N. 40° 20' 37" W., a distance of 1,147.75 feet from the E $\frac{1}{4}$ corner of said Section 23.**
7. Proposed place of use **the SW $\frac{1}{4}$ of Section 18, the NW $\frac{1}{4}$ of Section 19, the SW $\frac{1}{4}$ of Section 19, and the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 19, all in T. 13 N., R. 19 E., M.D.B. & M.**
8. Existing place of use **the E $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Section 23 and a portion of the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 14, T. 13 N., R. 18 E., M.D.B. & M.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Existing well with 117 ft. of 8" casing and 6-5/8" liner to a depth of 302 ft., submersible pump, storage tank & distribution system.**
12. Estimated cost of works **\$10,000**
13. Estimated time required to construct works **2 years**
14. Estimated time required to complete the application of water to beneficial use **5 years**
15. Remarks: **Refer to map filed in support of Application 41532 for existing P.O.D. Refer to map filed in support of Application 20196 for proposed P.O.D. Note the discrepancies between the application and the supporting map for Permit 41532. The bearing and place of use as depicted on the map are believed to be correct.**

By **Dale C. Bugenig, Agent**
s/Dale C. Bugenig
6490 So. McCarran Blvd., Ste. C25
Reno, NV 89509

Compared kdg/gkl hf/ct

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 41532 is issued subject to the terms and conditions imposed in said Permit 41532 and with the understanding that no other rights on the source will be affected by the change proposed herein. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to any other ground water development in the area. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This permit is subject to the final allocation of the State of Nevada under the California-Nevada Interstate Compact Commission. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.5 cubic feet per second, but not to exceed 14.235 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

December 29, 2001

Proof of completion of work shall be filed before:

January 29, 2002

Water must be placed to beneficial use on or before:

December 29, 2002

Proof of the application of water to beneficial use shall be filed on or before:

January 29, 2003

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 29th day of, December A.D. 2000

Tracy Taylor, P.E.

State Engineer

by Tracy Taylor, P.E., Deputy State Engineer

Completion of work filed FEB 27 2002

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____

